Don't forget to visit <a href="https://www.swab.se/no">www.swab.se/no</a>

#### LUNA-II™ Automated Cell Counter

Small yet powerful, the LUNA-II™ is cell counting convenience at its finest.

Simply insert your sample and the LUNA-II™ does the rest: autofocus, adjust light, and count in just 15 seconds.



- Fully automatic cell counting and cell viability analysis
- Autofocusing based on liquid lens technology
- Dye-exclusion (i.e Trypan blue or Erythrosin B)
- Most affordable running costs currently on the market
- Reusable or disposable slides available!

Special offer! 21 900kr



## **Precellys Evolution - Homogenizer**

The most advanced tissue homogenizer combining high efficiency and versatility for all sample preparation needs.



Art.No. P000062-PEVO0-A.0

#### Capacity:

- From 8 to 96 wells, 300µl
- From 1 to 24 tubes, 2ml/0.5ml
- From 1 to 12 tubes, 7ml
- From 1 to 6 tubes, 15ml

#### Speed range:

- From 4,500 rpm to 10,000 rpm (increment by 100 rpm)

#### Number of cycles:

- up to 10

#### Cycles time:

- up to 90sec (increment by 1sec)

Special offer! 112 000kr



## **TipOne® Pipette Tips**

TipOne° is the original refillable, reusable and recyclable pipette tip system!



Recent improvements to the design of the system, based on customer-feedback, is why **TipOne®** is one of the leading tips for research labs.

Tip fit

One tip fits all! The tip collar is engineered to fit all popular pipettes.

#### Green tip design

A reduction of up to 40 % in the material used for the production of **TipOne**° tips helps to save valuable resources and is beneficial for the environment.





#### Try the unique filter tip refills!

Art.No.	Description	Price!
S1121-2710	TipOne Filter Tip, 10µl, Grad, Refill, Sterile, Natural, 10x96	877kr
S1120-3710	TipOne Filter Tip, 10/20µl XL, Grad, Refill, Sterile, Natural, 10x96	884kr
S1123-1710	TipOne Filter Tip, 20µl UltraPoint, Grad, Refill, Sterile, Natural, 10x96	952kr
S1120-2710	TipOne Filter Tip, 50µl, Bevelled, Refill, Sterile, Natural, 10x96	952kr
S1120-1740	TipOne Filter Tip, 100µl, Bevelled, Refill, Sterile, Natural, 10x96	1 077kr
S1120-8710	TipOne Filter Tip, 200µl, Grad, Bevelled, Refill, Sterile, Natural, 10x96	874kr
S1120-9710	TipOne Filter Tip, 300µl, Grad, Refill, Sterile, Natural, 10x96	1 030kr
S1126-7710	TipOne Filter Tip, 1000µl, Refill, Sterile, Natural, 10x96	1120kr
S1122-1730	TipOne Filter Tip, 1000µl XL, Grad, Refill, Sterile, Natural, 10x96	952kr

#### V-1 plus - Personal Vortex

Ideal instrument for gentle mixing to vigorous resuspension.





- Two modes: continuous and impulse operation
- Speed control range 500-3000 RPM
- Acceleration time <1 s
- Mixing module for tubes from 0,2 to 50ml

Art.No. BS-010203-AAG

#### Special offer! 2 100kr


## **5**

#### **DNA-Exitus Plus**™

Get rid of DNA and RNA contamination in your life science lab enabling trueness and reliability for your (COVID-19/PCR) analysis!

**DNA-ExitusPlus™IF** - DNA & RNA decontamination, indicator free version.

**DNA-ExitusPlus™** - DNA & RNA decontamination, with surface trace indicator.











Art.No.	Description	Price!
A7409,0500	DNA-ExitusPlus IF, spray bottle, 500ml	836kr
A7409,1000RF	DNA-ExitusPlus IF, refill pack, 1L	1 277kr
A7409,2500RF	DNA-ExitusPlus IF, refill pack, 2,5L	2 884kr
A7089,0500	DNA-ExitusPlus, spray bottle, 500ml	836kr
A7089,1000RF	DNA-ExitusPlus, refill pack, 1L	1458kr
A7089,2500RF	DNA-ExitusPlus, refill pack, 2,5L	3 288kr

## **UV Pipette Cleaner Carousel**

nUVaClean<sup>™</sup> is the first and only pipette rack that not only organizes and protects six pipettes, but also destroys greater than 99% of unwanted contamination.



- Destroys >99% Virus, DNa/RNA, Bacteria, Mycoplasma
- UV-C lamp and reflector system
- Eliminates cross-contamination - 360° UV exposure
  - Fits virtually any pipette



Art.No. BMS-P5590-E

Special offer! 3 995kr



# PCRmax Eco 48 Real-Time qPCR System

# World's most thermally accurate block gives consistent data every time!



Art.No. ECORT48

ability to discriminate class IV SNP >99% of the time

- HRM functionality as standard with the

- Eco 48 allows for simple multiplex analysis with up to four dyes at once
- High uniformity provides high quality data. Fast cycling enables several experiments per day, all at an economical price

Interested?
Call us for more information or an offer!

- Fastest block-based real-time PCR system: 40 cycles in 40 minutes as standard and 40 cycles in as little as 15 minutes after optimisation of temperatures and hold times





#### UV CLAVE™ UltraViolet chamber

Short-wave UV light is an effective method for the disinfection of surface DNA, RNA and microorganisms. With the UVClave chamber, highly focused UV irradiation is used to disinfect tools, vessels and other research items, eliminating up to 99% of surface contamination.



- Improves quality of PCR research by reducing potential contaminants
- Multiple lamps and reflective chamber walls provide true 360° irradiation
- Proprietary UVC transparent shelf, eliminates potential for missed coverage (blind spots)
- Inactivates DNA, RNA, viruses & bacteria on PCR vessels
- Adjustable cycle time







#### FluidX, Tri-Coded Tubes with External Thread and Next-Generation Jacket

FluidX Next-Generation jacket tri-coded tubes offer unequaled sample audit traceability, enabling sample tracking and data sharing between multiple users, labs, locations and automation capabilities







Permanently laser etched 2D code on base, 1D linear barcode and human readable number on the side, ensuring a permanent link between sample and data

#### - Next Generation manufacturing techniques

- Codes readable without removing tubes from racks
- Suitable for cryogenic storage
- Made from high-quality virgin PP; production sterile
- Available in 96-well format SBS racks or bulk
- Sealable with screw caps/TPE septum caps





Contact us if	you want a	FluidX tubes	sample pack!
---------------	------------	--------------	--------------

Art.No	Description		Special price!
BRO-68-0703-12	FluidX 96-format 0.5ml external thread Tri-coded tube, capped, racked	10 racks/960 tubes	12 500kr
BRO-68-1003-11	FluidX 96-format 1.0ml external thread Tri-coded tube, capped, racked	10 racks/960 tubes	12 500kr
BRO-65-7643	FluidX 48-format 1.9ml external thread Tri-coded tube, capped, racked	10 racks/480 tubes	9 000kr
BRO-65-7515	FluidX 48-format 3.8ml external thread Tri-coded tube, capped, racked	10 racks/480 tubes	11 000kr

## BioQuant-96 - real-time PCR detection system

BioQuant-96 is the newest product of Biosan Molecular diagnostic product family!





It will fully meet the demand of scientific research and clinical diagnosis.



Art.No. BS-050110-AAB

**Sample capacity:** 0.2ml single tube (transparent cap), 96×0.2(0.1)ml Plate (transparent cap), 8-strip tubes (transparent cap)

Heating/cooling rate:  $6.0 \,^{\circ}\text{C/s} / 5.5 \,^{\circ}\text{C/s}$ 

Temperature accuracy:  $\leq \pm 0.1$ °C

It has adopted mature thermoelectric refrigeration technology, brand-new light source and light path design.

The unique constant current power and 6-zone independent temperature control method ensure more rapid, correct and stable fluorescence quantitative analysis of the product, while maintaining its excellent performance in low energy consumption.

Special offer! 295 000kr



## Benchtop and portable pH-meter



**Benchtop pH-meter** kit included pH electrode 201T, pH buffer solution, electrode holder

Meas. Range/Resolution(pH) 0,00...14,00

Measuring Accuracy (pH) 0,1/0,01

Calibration points 1...3

Measuring range (mV) ±1.000

Resolution/Accuracy 0,1/±0,5°C

525. V X V Meas. Range/Resolution(pH) 0,00...14,00

Measuring Accuracy (pH) 0,1/0,01

Portable pH-meter kit including pH electrode 201T, pH buffer

Calibration points 1...3

solution, carrying case and accessories

Measuring range (mV) ±1.000

Resolution/Accuracy  $0,1/\pm0,5^{\circ}C$ 





The global increase in sample testing for infectious diseases (predominantly COVID-19) has led to a significant shortage of plastic consumables for high throughput sample prep systems.

But if you work with **KingFisher™** instruments, we've got you covered! We have recently launched 3 plastic consumables designed for high throughput nucleic acid sample prep, ideal for use with **KingFisher™** systems.

All our **KingFisher™** style consumables are free from RNase, DNase, human genomic DNA and pyrogen. We now accept quote and sample requests. Read below to get the details!

#### 96 Square Deep Well Microplate, KingFisher™ Style



- Art.No: 4ti-0150 (pack of 50pc)
- 2.0ml square wells, V-shaped bottom, clear polypropylene
- Compatible with KingFisher™ Duo Prime, Flex, Apex, Presto

Price 3 717kr

#### 96 Tip Comb for Deep Well Magnets, KingFisher™ Style



- Art.No: 4ti-0152 (pack of 100pc)
- 96 format tip comb, clear polypropylene
- Compatible with KingFisher™ Flex, Apex, Presto

Price 8 213kr

#### 96 Square Well Microplate, KingFisher™Style



Art.No: 4ti-0151 (pack of 50pc)

- 200µl square wells, V-shaped bottom, clear polypropylene
- Compatible with KingFisher™ Flex, Apex, Presto

Price 2 667kr

## Bio•Wand™ Personal UV Sanitizer

Bio•Wand™ uses UV light (265 to 280nm) to disinfect any object/surface in the lab!



- Portable UV Disinfection
- Kills up to 99% of bacteria and viruses
- Destroys DNA & RNA
- Handheld, cordless, rechargeable



## **DURAN®** Original Laboratory Bottle

Amber, with screw cap and pouring ring from PP

with DIN 168-1 Thread USP / EP (3.2.1) Light Transmission Graduated



Price is per piece but delivered in pack of 10!



Art.No	Description	Ord.price!
218062454	100ml, GL45	306kr
218063656	250ml, GL45	436kr
218064455	500ml, GL45	562kr
218065451	1000ml, GL45	687kr
218066353	2000ml, GL45	1 064kr
		Other sizes available!

## **PCR Tube Strips with attached Caps**







- Polypropylene PCR strips
- Attached caps eliminates the possibility of cross-contamination through accidental tube-cap mix up
- Certified RNase, DNase, DNA and PCR Inhibitor free



- Supplied in resealable bags
- Xtra-Clear flat cap options for qPCR
- Autoclavable



Art.No.	8-strip PCR tubes with individual caps	Ord.price!
11402-2900	0,2ml, domed caps, natural, 120pc	930kr
A1402-3800	0,1ml, Xtra-Clear, flat cap, natural, low-profile, 120pc	930kr
A1402-3700	0,2ml, Xtra-clear, flat caps, natural, 120pc	930kr
Art.No.	8-Strip PCR tubes with individual shielded caps	Ord.price!
S1602-2900	0,2ml, domed shielded caps, natural, 120pc	2 366kr
Art.No.	8-strip PCR tubes with attached strip caps	Ord.price!
11402-2800	0,2ml, domed cap strip, natural, 125pc	1 085kr
11402-2700	0,2ml, Xtra-clear, flat cap strip, natu-	1 012kr

ral, 125pc

## VITsafe<sup>™</sup> safety wash bottles, narrow-mouth

Bottles made from PE-LD (or PP for Acetone), spray tube from PP. With coloured VENT-CAP which supports easy visual identification of the media.





More safety due to the durable safety imprint in accordance to Directive (EC) No. 1272/2008 (GHS), as well as with all important information:

- Material name in German, English, French and Spanish
- Chemical formula, CAS No., hazard pictogram, signal word
- Risk phrases (H phrases), safety phrases (P phrases), as well as NFPA Code

With precise spray jet and optimised medium backflow.

$\mathbf{T}$	

Art.No	Imprint	Colour VENT-CAP	Volume ml	Thread	Ø mm	Height mm	Pack	Special price!
1431829	Acetone	red	250	GL25	65	135	12	795kr
1331819	Distilled Water	blue	250	GL25	65	135	12	795kr
1331869	Ethanol	orange	250	GL25	65	135	12	795kr
1331859	Ethyl acetate	red	250	GL25	65	135	12	795kr
1331849	Isopropanol	yellow	250	GL25	65	135	12	795kr
1331839	Methanol	green	250	GL25	65	135	12	795kr

## **Entris® II Analytical Balance**

Entris<sup>®</sup> II — Best Value in its Class for Basic Weighing Tasks Every Sartorius balance offers quality, value and consistency



Specifications	Entris II, 120g	Entris II, 220g
Dim. (W×D×H)	219 × 317 × 345 mm	219 × 317 × 345 mm
Chamber Height	240 mm	240 mm
Pan Dimensions	Ø 90 mm	Ø 90 mm
Adjustment	Internal	Internal
Display	LED with touch	LED with touch
Readability	0.1 mg	0.1 mg
Repeatability	0.1 mg	0.1 mg
Operating Conditions - Temp.	+10 - +30 °C	+10 - +30 °C
Max. Weighing Capacity	120g	220g

Entris II 120g, **17 495kr** (Art.No. BCE124I-1CEU)

Entris II 220g, **18 195kr** (Art.No. BCE224I-1CEU)



## Picus<sup>®</sup> electronic pipettes 1-ch.

Its highly sophisticated and completely ergonomic design will reduce your risk of repetitive strain injury (RSI). Fully electronic operation ensures the maximum accuracy and repeatability of your results.





- Uniquely lightweight and compact design
- Conveniently located, one-touch operating-button and featherlight electronic tip ejection
- Electronic piston control and brake ensure accurate, user-independent pipetting results.
- Unique plate tracker increases reliability in microwell plate dispensing.



Art.No.	Volume	Special price!
735021	Picus® electronic pipette 0,2 - 10 µl	6 579kr
735041	Picus® electronic pipette 5 - 120 µl	6 579kr
735061	Picus® electronic pipette 10 - 300 μl	6 579kr
735081	Picus® electronic pipette 50-1000 µl	6 579kr
735101	Picus® electronic pipette 0,1-5 ml	6 579kr
735111	Picus® electronic pipette 0,5-10 ml	6 579kr

Also available in 8- and 12-Ch.! Call for information!




#### **3D Cell Culture Products!**



Art.No. 356255 (pack of 1x10ml)

Corning® Matrigel® Matrix For Organoid Culture Phenol-Red Free, 10ml

Special price 5 650kr



Corning® **Matrigel®** Matrix -3D plate, Phenol Red-Free 96-well Black/Clear, Individually Wrapped, with Lid

Limited offer! One pack/customer 796kr



CORNING



Art.No. 4440 (pack of 5)

Corning 6 Well Black Clear Round Bottom Ultra-Low Attachment Micro-Cavity plate, 500um diameter and 400um Depth, Ind Packaged, with Lid

Special price 3 109kr

## **FALCON**

Art.No. 354253 (pack of 1)

Corning® Cell Recovery Solution for Matrigel®, 100ml

Limited offer! One pack/customer 535kr






## **Corning Media products!**



Quality release testing of Corning liquid classical media products assures low levels of endotoxin, mycoplasma, and an absence of contamination.






## **Coated Cell Culture plates!**

## **FALCON**

96-well

Art.No. 354640 (pack of 5)




Corning® **BioCoat™ Poly-D-Lysine 96-well** Black/Clear plate is comprised of black TC-treated polystyrene with a uniform application of Poly-D-Lysine. Clear flat bottom, with lid

#### Special price 905kr

384-well

Art.No. 354660 (pack of 5)



Corning® **BioCoat™ Poly-D-Lysine 384-well** White/Clear Plate Is comprised of white TC-treated polystyrene with a uniform application of Poly-D-Lysine. Clear flat bottom, with lid

Special price 1 040kr



## Corning® Cell Counter





#### The new Corning Cell Counter is:

- Fast thanks to its online image processing
- Accurate thanks to its cloud-based machine learning algorithm.
- Low-cost works with common reusable glass hemocytometer. No consumables required.

Special price 32 900kr



#### Cell Culture flask with filter cap

Culture flasks of SPL Life Sciences are ergonomically designed for easy handling, while achieving minimal contamination during cell culture

- Non pyrogenic
- Non cytotoxic
- DNase / RNase free
- Human DNA free









Art.N	o. M	1aterial	Cap type	Growth area	Work.volume	Tot.volume	Surface Treatment	Sterile	Pack	Special price!
7002	25	PS	Filter	25cm <sup>2</sup>	7ml	60ml	Yes	Yes	200	995kr
7007	75	PS	Filter	75cm <sup>2</sup>	25ml	250ml	Yes	Yes	100	1 015kr

## Centrifuge tube with screw cap 25ml

Now we close the obvious gap between 15ml and 50ml tubes!





- 17,000xg maximum RCF
- Made of high clarity polypropylene
- Fits most 50ml rotors, rim eliminates need for adapter
- Printed graduations from 5ml to 25ml
- Compact low-profile design minimizes storage and waste
- Gamma sterilized RNase, DNase, & Pyrogen free



Art.No.	Description	Special price!
C2625-B	8 bags of 25 tubes, 200/pack	995kr
C2625-R	8 foam racks of 25 tubes, 200/pack	1 095kr

## **ADAMII**™ - Fluorescence CD34 Counter

#### Revolutionary new way to count CD34!



ADAMII is an image-based fluorescence cell counter, which captures and analyzes multiple images.

It has 4-channel (Bright, Yellow (PE), Red (PerCP) and Green (FITC)) light sources.

- 15 minutes for counting CD34
- Easy to use
- Accurate and reliable result
- State-of-the-arts optics and image analysis software



Interested? Call us for more information or an offer!



## The Coriolis Compact - a dry Cyclonic air sampler

The Coriolis Compact is a dry Cyclonic air sampler able to operate up to 8 hours straight and compatible with multiple downstream analysis (NGS, qPCR, Culture)



#### Virus collection & detection

One of the main challenges of virus monitoring in the air is obtaining adequately concentrated samples. With its dry sampling technology, the Coriolis Compact is a perfect instrument to detect viruses in the air.

Indeed, after each collection, users can choose the volume of solution in which they wish to resuspend their sample.

Additionally, solutions that can preserve the nucleic acids present in the sample can also be taken advantage of. For example, in the case of RNA viruses such as SARS-CoV-2, users have the option to immediately resuspend their sample in Trizol to protect RNA against degradation.

Special offer! 110 000kr

#### LUNA-FX7™ Automated Cell Counter

#### **Excellence of counting both Brightfield and Fluorescence!**





#### Best in class accuracy

Improved counting algorithm and increased measuring volumes lower the CV, even less than 1%!

#### Multiple samples in one go

New 8- and 3-chamber slide increase the sample throughput.

#### Expanded cell concentration range (1.0E04 - 5.0E07 Cells/ml)

Suitable for diverse cell counting applications including single cell sequencing and CAR-T dosing determinations.

Data may be exported via Wi-Fi, Ethernet, or USB flash drive!



Call us for an offer!



#### Cube Rack Reader with new DP5 Standard Software

The Cube can read all racks on the market including Cryoboxes and SBS racks; even 384 racks!

**DP5** is the latest version of **Ziath's** market leading 2D rack decoding software.

Using the latest technologies **DP5** can be run from a laptop, desktop, phone, tablet or any other network connected device.

The same robustness, reliability and speed are there but now you can work unchained from your lab bench.





- Smallest 'scan all' scanner on the market
- Camera based instrument resulting in rapid imaging and decoding
- Footprint ideal for benchtop and integration

DP5-C-STD, Cube standalone with software DP5 Standard, 69 500kr

**DP5-C-STD-80,** Cube standalone with Cryoprotection and DP5 Standard software, **75 500kr** 

Priserna gäller t.o.m. 30:e Juni 2021, och kan inte kombineras med andra rabatter eller avtal. Ange kod VK21 när du beställer. Allmänna försäljningvillkor gäller. Se vår hemsida. Vi reserverar oss för tryckfel.



## Sweden:

Phone +46 40 51 00 00 www.swab.se info@swab.se

## Norway:

Phone: +47 22 22 87 87 www.swab.no info@swab.no

## Denmark:

Phone: +45 86 20 16 16 www.swab.dk info@swab.dk

