

AUTUMN CAMPAIGN

SEP - DEC 2026



CHEMICALS

HIGH QUALITY SOLVENTS FROM SOLSTICE

(Former Honeywell Specialty Chemicals)

We stock a wide range of high quality solvents for fast delivery!



Art.No.	Description	List price			Offer price		
		SEK/NOK	DKK	€	SEK/NOK	DKK	€
443778-1L	1-Methyl-2-pyrrolidinone ACS Reagent, ≥99.0%	1192/1252	799	105	937/983	627	82
34965-4X2.5L	2-Propanol LC-MS CHROMASOLV	1271/1334	851	111	998/1048	669	88
24137-2.5L	2-Propanol puriss., meets analytical specification of Ph. Eur., BP, US	342/359	229	30	269/282	180	24
27225-4X2.5L	Acetic acid puriss., meets analytical specification of Ph. Eur., BP, U	1089/1144	730	96	856/899	574	75
32201-4X2.5L	Acetone puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥ 99.5%	789/829	529	69	620/651	415	54
34851-4X2.5L	Acetonitrile CHROMASOLV, for HPLC, gradient grade, ≥ 99.9%	1616/1697	1083	142	1270/1334	851	111
34967-4X2.5L	Acetonitrile LC-MS CHROMASOLV	1849/1942	1239	162	1453/1526	974	127
34856-2.5L	Dichloromethane CHROMASOLV, for HPLC, ≥ 99.8%, amylene stab	390/409	261	34	306/321	205	27
34859-2.5L	Hexane CHROMASOLV, for HPLC, ≥ 97.0% (GC)	481/505	323	42	344/361	230	30
30721-4X2.5L	Hydrochloric acid puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur.	770/808	516	68	605/635	405	53
34966-4X2.5L	Methanol LC-MS CHROMASOLV	1077/1131	722	95	846/888	567	74
14262-4X2L	Methanol LC-MS Ultra CHROMASOLV, tested for UHPLC-MS	4851/5093	3250	426	2995/3145	2007	263
14262-1L	Methanol LC-MS Ultra CHROMASOLV, tested for UHPLC-MS	865/909	580	76	680/714	456	60
32213-4X2.5L	Methanol puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥ 99.8%	625/656	419	55	491/516	329	43
31642-6X1L	Perdrogen™ 30% H2O2 (w/w) puriss. p.a., reag. ISO, reag. Ph. Eur.	1353/1421	907	119	1063/1116	712	93
39253-1L	Water LC-MS CHROMASOLV	661/694	443	58	472/496	316	41

KARL FISHER TITRATION - HYDRANAL

REAGENTS, CERTIFIED WATER STANDARDS, &
AUXILIARIES FOR ACCURATE KARL FISCHER TITRATION



Hydranal™ delivers the stability, accuracy, and reproducibility scientists need across routine analysis and the most demanding applications.



Art.No.	Description	Price		
		SEK/NOK	DKK	EUR
34806-500ML	HYDRANAL-Composite 2 for one-component KF	1311/1377	879	115
34806-1L	HYDRANAL-Composite 2 for one-component KF	2133/2239	1429	187
34806-6X1L	HYDRANAL-Composite 2 for one-component KF	6997/7347	4688	614
34816-1L	HYDRANAL-Composite 5 K for one-component KF	1726/1812	1156	151
34816-6x1L	HYDRANAL-Composite 5 K for one-component KF	9710/10195	6505	852
34805-1L	HYDRANAL-Composite 5 for one-component KF	1550/1627	1038	136
34805-6X1L	HYDRANAL-Composite 5 for one-component KF	8717/9153	5840	765
34810-6X500ML	HYDRANAL-Coulomat AD reagent for coulometric KF titr.	5028/5280	3369	441
34739-500ML	HYDRANAL-Coulomat AG-Oven reagent for coulometric KF titr.	1176/1235	788	103
34739-6X500ML	HYDRANAL-Coulomat AG-Oven reagent for coulometric KF titr.	6615/6946	4432	580
34698-1L	HYDRANAL-Medium K for volumetric one-component KF titr.	1300/1365	871	114
34698-6X1L	HYDRANAL-Medium K for volumetric one-component KF titr.	7311/7677	4898	641
34741-1L	HYDRANAL-Methanol dry for volumetric one-component KF titr.	329/346	221	29
34801-1L	HYDRANAL-Titrant 5 for volumetric two-component KF titr.	1403/1474	940	123
34847-40ML	HYDRANAL-Water Standard 0.1 standard for KF titr.	823/865	552	72
34828-6X40ML	HYDRANAL-Water Standard 1.0 standard for KF titr.	4450/4672	2981	390
34849-80ML	HYDRANAL-Water Standard 10.0 standard for KF titr.	1098/1153	736	96
34849-6X80ML	HYDRANAL-Water Standard 10.0 standard for KF titr.	6179/6488	4140	542

SMARTBUFFERS™

MEDICAGO
GROUP

The Intelligent Solution for Efficient Buffer Preparation

The tablets are already accurately measured and prepared for easy dissolution in a specified volume of deionized water.

- ✓ Takes up less space than ready-made solutions
- ✓ Less waste
- ✓ Long shelf life - years instead of weeks/month
- ✓ Flexible

OFFER!
5%
DISCOUNT



Art.No.	Description	List price		
		SEK/NOK	DKK	EUR
09-9499-100	PBS tablets, pH 7.2, 1000ml/tablet, 100 tablets	2995/3145	2010	263
09-9400-100	PBS tablets, pH 7.4, 1000ml/tablet, 100 tablets	2995/3145	2010	263
09-8902-100	PBS tablets with Tween® 20, pH 7.4, 500ml/tablet, 100 tablets	2125/2231	1425	187
09-9410-100	PBS tablets with Tween® 20, pH 7.4, 1000ml/tablet, 100 tablets	3360/3528	2251	295

SAVEEN WERNER

THE LOCAL ALTERNATIVE IN THE NORDICS FOR EVERYONE WHO WORKS
IN LABORATORIES – BIG ENOUGH TO BE ABLE, SMALL ENOUGH TO CARE

GLASSWARE

LABORATORY GLASS FOR ALL REQUIREMENTS

We offer a wide selection of laboratory glassware, including both standard and custom-made products manufactured to your specifications. We collaborate with leading suppliers such as Lenz, DWK, and Glassco.

STANDARD GLASS

We stock a comprehensive range of laboratory essentials, including:

- ✓ Beakers and bottles
- ✓ Erlenmeyer flasks
- ✓ Measuring cylinders
- ✓ Volumetric flasks
- ✓ Test tubes
- ✓ Various glass pipettes

We also maintain an extensive inventory of standard glass components for setups used in analytical chemistry and chemical synthesis, such as:

- ✓ Round-bottom flasks
- ✓ Reaction vessels
- ✓ Condensers
- ✓ Splash heads
- ✓ Various adapters, connectors, screw caps, septa etc.



FOR
CUSTOM MADE
GLASSWARE OR
REPAIRS
GIVE US A CALL



REACTION VESSELS

We offer the full range of LENZ reaction vessels! Lots of different models available.

Call us for more information!



LENZ is one of the leading manufacturers of laboratory glassware, they set standards for quality and reliability. Customers in research and industry can rely on their products and services at all times.



LABORATORY BOTTLES



RASOTHERM®



Both cap and poring ring can be bought separately!

Boro.glass 3.3, GL45, blue screw cap & poring ring

Art.No.	Description	List price		
		SEK/NOK	DKK	EUR
88-100	100ml	31/32	22,95	2,95
88-250	250ml	34/35	29	3,32
88-500	500ml	45/47	37	4,31
88-1L	1000ml	69/72	48	6,45

**OFFER! ORDER
MIN.10 OF THE
SAME SIZE AND
GET10%
DISCOUNT**

SAVEEN WERNER

THE LOCAL ALTERNATIVE IN THE NORDICS FOR EVERYONE WHO WORKS IN LABORATORIES – BIG ENOUGH TO BE ABLE, SMALL ENOUGH TO CARE

INSTRUMENTS

HANDHELD DECAPPERS

IntelliXcap™ M6 and M8 Semi-Automated Handheld Screw Cap Decappers, 6- & 8-Channel.
Swiftly decaps a single column in under 4 seconds.
Cap driver cartridges for different labware types available

OFFER! M6
36.000 SEK
37.800 NOK
23.900 DKK
3.159 €



Art.No. BRO-46-9011

OFFER! M8
37.000 SEK
38.850 NOK
24.800 DKK
3.246 €



Art.No. BRO-46-9012



AZENTA
LIFE SCIENCES

SINGLE TUBE DECAPPER/RECAPPER



Art.No. BRO-46-0001

The IntelliXcap S1 Semi-Automated Screw Cap Single Tube Decapper/Recapper simplifies tube handling – without requiring a gripper change, the IntelliXcap S1 is fully compatible with different volumes of internally and externally threaded tubes, offering an uncomplicated solution for demanding daily tasks. Compatibility 11-40mm diameter screw caps.



AZENTA
LIFE SCIENCES

CALL FOR AN OFFER!

AXYGEN® PLATEMAX® SEMI-AUTOMATIC PLATE SEALER



The **PlateMax** sealer accepts a wide variety of plate types and heights. An aluminum adapter is used for **PCR** and standard assay plates. The motorized heated platen automatically adjusts for different plate heights and provides uniform pressure to ensure a quality seal. The platen incorporates a special non-stick coating. The side access door allows for easy cleaning.



OFFER!
36.625 SEK/NOK
23.280 DKK
3.125€

Art.No. HS-1230

BENCHTOP pH-METER (incl.pH electrode 201T, pH buffer and holder)

OFFER!
4.500 SEK
4.725 NOK
3.015 DKK
395 €



Art.No. EC-31-PH-1

- ✓ Meas.range 0.00 ... 14.00 pH
- ✓ Resolution 0.1 / 0.01 pH
- ✓ Calibration points 1 ... 3
- ✓ Buffer resolution USA, NIST and user defined
- ✓ Measuring range $\pm 1,000$ mV
- ✓ Resolution 1 mV
- ✓ Temp. measuring range 0.0 ... 100 °C
- ✓ Resolution / accuracy 0.1 / $\pm 0,5$ °C

**ASK US ABOUT
pH-BUFFERS**



SAVEEN WERNER

THE LOCAL ALTERNATIVE IN THE NORDICS FOR EVERYONE WHO WORKS IN LABORATORIES – BIG ENOUGH TO BE ABLE, SMALL ENOUGH TO CARE

AXYGEN® GEL DOCUMENTATION SYSTEM

Axygen® Gel Documentation systems easily capture publication quality, 16 bit TIFF images. The systems are quick to set up and have an intuitive user interface for image capture, annotation, and contrast adjustment. Images are easily saved and opened in common gel analysis software for more detailed analysis.

- ✓ Auto exposure—you never have to manually manipulate the camera
- ✓ Long-life dual wavelength transilluminators
- ✓ Exceptionally high resolution (5.4 MP) camera
- ✓ The cabinet is compact with an ultra-violet (UV) cut-off switch to prevent exposure to UV light if the cabinet door is opened while the UV light is on.



Art.No. GD-1000



OFFER!
51.585
SEK/NOK
33.710 DKK
4.525 €

MIRAGE - CONNECT RACK READER



Art.No. DP-MC



AZENTA
LIFE SCIENCES

The first and only fully networked camera-based reader on the market, equipped with Cryoprotection™. With high-resolution imaging and plug-and-play RJ45 connectivity, it ensures fast, reliable sample ID—even in frozen conditions. Reads all current, commonly used, SBS racks including Acoustic tubes.

OFFER!
89.900 SEK
94.395 NOK
61.000 DKK
7.886 €

POLARIS SEMI-MICRO & ANALYTICAL BALANCES



KEY SPECIFICATIONS:

Capacity: 120g to 420g

Readability: 0.00001 to 0.0001g

Memory: Store 200,000+ results

Connect seamlessly to PCs, printers or LIMS via Bluetooth, RJ45 Ethernet, RS-232 & USB interfaces.

PRICES FROM!
15.610 SEK
16.390 NOK
10.459 DKK
1.369 EUR

Adam

5 year
warranty

Lots of other features and models available. Interested to know more or having an offer give us a call!

LSE™ MINI MICROCENTRIFUGE

The Corning LSE Mini Microcentrifuge is a personal bench top instrument that operates at a fixed speed of 6,000 rpm (2,000 x g) and was designed for quick spin downs of micro-samples.

The mini microcentrifuge can accommodate up to 8 microcentrifuge tubes or 4 PCR strip tubes. Smaller samples such as 0.2, 0.25, and 0.5ml can also be processed by using the included tube adapters.



Art.No. 6770

OFFER!
1.710
SEK/NOK
1.117 DKK
150 €

CORNING

SAVEEN WERNER

THE LOCAL ALTERNATIVE IN THE NORDICS FOR EVERYONE WHO WORKS IN LABORATORIES – BIG ENOUGH TO BE ABLE, SMALL ENOUGH TO CARE


CONSUMABLES

CRYOGENIC VIALS

Starlab's Cryogenic Vials have been developed for the storage and transportation of biological material.

Made from 100 % polypropylene. For storage down to -196 °C **should only be used in the gas phase of liquid nitrogen.**

White writing area and highly-visible black graduations at 100 µl increments. Sterile (SAL 10-6)



Art.No.	Description	List price			Offer price		
		SEK/NOK	DKK	EUR	SEK/NOK	DKK	EUR
E3090-6212	1.0ml, Ext.threaded tube, height: 41mm, skirted, 500pcs	2143/2164	1502	194	1495/1570	1002	131
E3090-6321	1.8ml, Ext.threaded tube, height: 43mm, conical, 500pcs	2310/2332	1617	210	1610/1691	1079	141
E3090-6222	1.8ml, Ext.threaded tube, height: 48mm, skirted, 500pcs	1720/1737	1419	163	1314/1380	880	115
E3110-6112	1.0ml, Int.threaded tube, height: 42mm, skirted, 500pcs	2522/2546	1765	229	1758/1846	1178	154
E3110-6121	1.8ml, Int.threaded tube, height: 46mm, conical, 500pcs	2824/2851	1977	256	1970/2069	1320	173
E3110-6122	1.8ml, Int.threaded tube, height: 49mm, skirted, 500pcs	2363/2386	1655	215	1650/1733	1106	145

TIPONE® FILTER TIPS - WITH ONE OF THE BEST FILTERS ON THE MARKET

Proven to block >99% of aerosols!

Filters made of inert high density polyethylene that is hydrophobic and will not absorb samples the way sealing filters do if the sample accidentally comes in contact with the filter.

ASK US ABOUT
STARLAB
GLOVES!



- ✓ 960 tips in each pack
- ✓ Colour-coded
- ✓ Sterile
- ✓ Both RACK and REFILL available



Art.No.	Description	Price		
		SEK/NOK	DKK	EUR
S1120-3810	10/20ul - RACK XL	1227/1239	1009	116
S1120-3710	10/20ul - REFILL	1140/1151	893	109
S1120-8810	200ul - RACK	1260/1273	893	120
S1120-8710	200ul - REFILL	1126/1137	886	107
S1122-1830	1000ul - RACK XL	1371/1384	1125	129
S1122-1730	1000ul - REFILL	1227/1239	962	116

SAVEEN WERNER

THE LOCAL ALTERNATIVE IN THE NORDICS FOR EVERYONE WHO WORKS
IN LABORATORIES – BIG ENOUGH TO BE ABLE, SMALL ENOUGH TO CARE

C-CHIP - BÜRKER



C-Chip is a disposable hemocytometer designed to replace traditional glass hemocytometers. It provides accurate, reproducible cell counting with the convenience of a disposable slide. C-Chip eliminates the need for coverslips and cleaning, reducing contamination risk while maintaining the same precision as glass hemocytometers.

OFFER!
1.192 SEK
1.251 NOK
799 DKK
105 €

Art.No. DHC-B01



RESERVOIRS



Sloped bottoms of SPL Reservoirs are useful for filling multi-channel pipette during both cell culture and immuno-assay experiments.

- ✓ Made of polystyrene
- ✓ Notched volume label
- ✓ Sterile single packed




Art.No. 22050

OFFER!
295 SEK
310 NOK
198 DKK
26 €

CRYO-EM PUCKS



OFFER!
49.000 SEK
51.450 NOK
32.830 DKK
4.298 €



The 2nd generation of **MiTeGen's Cryo-EM** pucks has enhanced features, which make them superior to other cryo-EM pucks on the market. They contain magnets in the bottom of the pucks for strong puck retention but easy removal from the shelves of the Cryo-EM Puck Shipping and Storage Canes. A front grabbing tong location for Cryo-EM Puck Grasping Tongs makes puck handling even more secure. Custom 2D barcoding and puck serialization allow advanced sample tracking, a multi-color option completes sample organization and tracking. Each puck has 12 numbered well locations with easy-access tweezer notches for Cryo-EM Grid Boxes.

TO GET STARTED, TRY OUR STARTER KIT! NOW SPECIAL PRICE! Art.No. X-CEMG2-BLSK

10 Cryo-EM Pucks Gen 2.0 (X-CEMG2-10), 1 Cryo-EM Puck Storage Cane for HC34 & VHC35 (X-CEM-202), 1 Cryo-EM Puck Shipping Cane for CX100 (X-CEM-204), 1 Cryo-EM Puck Grasping Tongs (X-CEM-GT)

List price: 64.876 SEK, 68.120 NOK, 43.467 DKK, 5.691 €

TRI-CODED SAMPLE TUBES

Art.No. BRO-65-7643

1.9ml Tri-coded tube, 48-format, ext.thread, uncapped, 10 racks

OFFER! 9.655 SEK, 10.138 NOK, 6.469 DKK, 847 €

(List price: 12.874 SEK, 13.003 NOK, 8.626 DKK, 1.126 €)



Art.No. BRO-68-0703-11

0.5ml Tri-coded tube, 96-format, ext.thread, low base rack, capped, 10 racks

OFFER! 12.490 SEK, 13.114 NOK, 8.368 DKK, 1.095 €

(List price: 16.657 SEK, 16.824 NOK, 11.160 DKK, 1.461 €)



PERFECT MATCH WITH **M6** FOR EASY DECAPPING!



PERFECT MATCH WITH **M8** FOR EASY DECAPPING!

DID YOU KNOW THAT....

Azenta tubes are available in a range of formats, including racked, bulk, capped and uncapped. Our robust code management system ensures each and every code is permanently affixed, unique and never duplicated. Tubes are suitable for applications ranging from +121°C to -196°C.



SAVEEN WERNER

THE LOCAL ALTERNATIVE IN THE NORDICS FOR EVERYONE WHO WORKS IN LABORATORIES – BIG ENOUGH TO BE ABLE, SMALL ENOUGH TO CARE

BIOPROCESS

PETG PharmaTainer™



SANISURE is introducing the PETG PharmaTainer bottle!

For biotech and bioprocess applications, **PET** (polyethylene terephthalate) and **PETG** (glycol-modified polyethylene terephthalate) are closely related polymers, but the glycol modification gives PETG significantly different processing and performance characteristics.

For bioprocessing, **PETG** is generally preferred for disposable equipment because of its exceptional clarity, toughness, and ease of fabrication into complex shapes. These advantages make it well suited to single-use bioreactors, mixing vessels, and cell culture hardware.

Its trade-offs are somewhat lower chemical resistance, poorer gas barrier performance, and limited heat resistance.




TUBING

Cleargreen® Pure

Tubing for Advanced Therapies

Setting a New Standard in PVC Tubing for Blood Collection and Cell and Gene Therapy Processes.


**INTERESTED IN
TUBING
GIVE US A CALL!**



CONTACT INFORMATION

SWEDEN

Phone: +46 40 51 00 00

Web: www.swab.se

Email: info@swab.se

DENMARK

Phone: +45 86 20 16 16

Web: www.swab.dk

Email: info@swab.dk

NORWAY

Phone: +47 22 22 87 87

Web: www.swab.no

Email: info@swab.no

FINLAND

Phone: +358 9 315 45 620

Web: www.swab.fi

Email: info@swab.fi

Opening hours

Monday - Friday: 8.00-17.00



FOLLOW US ON LINKEDIN



***All prices are net and valid until DEC. 31 2026** and cannot be combined with other agreements or discounts. Quote discount code **HK26** when ordering. General terms and conditions of sale apply, see our website. We reserve the right for printing errors.