


Semi-automated Benchtop Pipettor Corning® Lambda™ EliteMax



The Corning® Lambda™ EliteMax Semi-automated Benchtop Pipettor can perform a variety of liquid handling tasks including:

- Plate filling from reagent reservoirs
- Serial dilutions, plate-to-plate transfers, tube-to-tube transfers and plate replication
- Well-to-well transfers (cherry picking protocol for single-channel head only). Unit comes with a single-and 12-channel head installed.
- Accurately and precisely transferring liquids and compounds between microplates
- Transferring by row or by column

Bioprinter - Corning® Matribot®



Working with 3D cell culture?

The new Corning Matribot bioprinter is a breakthrough benchtop device that enables you to dispense and print with temperature-sensitive hydrogels such as **Corning Matrigel matrix and Collagen** without cold blocks, ice buckets or cold room, as well as hydrogels that require ambient temperature.

Unlike other bioprinters, the Matribot bioprinter uses a syringe-based extrusion platform with a temperature-controlled printhead, insulated nozzles, printbed that can be heated and a UV LED system, all staged in a small footprint.

TipOne - a success story since 1998!

ONE SYSTEM, ONE GREEN SOLUTION

TipOne® is designed to be an eco-friendly pipette tip system.

It is reusable, refillable and recyclable. Every part of the system is interchangeable with the rest. The exceptional quality of our racks means they can be reused again and again with the refills, even if autoclaving, without loss of stability or shape.




The perfect rack!



The clever refill!



The plastic-saving sterile refill!





- **Minilys:** flexible & easy-to-use tissue homogenizer
- **Precellys 24 Touch:** intuitive tissue homogenizer to prepare any kind of biological sample
- **Precellys Evolution:** efficient & versatile tissue homogenizer for all sample preparation needs

New! Homogenize your large samples with the Precellys 50ml tubes!




Experience the **safety** and **efficiency** of the Precellys homogenizers **with the 50ml tubes** for your large sample grinding needs.

The new solution ensures **uniform** and **fail-proof** results and is compatible with the **Precellys Evolution homogenizer**.

Increase your throughput and get the best protocols with the **exclusive 50ml tube holder** that allows three 50ml tubes at the same time.

Semi-Automated Handheld Screw Cap Decapper Portable and lightweight

IntelliXcap™ M8 - Designed with the user in mind!



AZENTA
LIFE SCIENCES

Special price!
29 900 SEK/NOK
20 900 DKK
2 800 €

- Lightweight, handheld, semi-automatic single column-based capper/de-capper
- Compatible with 96-SBS rack format screw capped tubes
- Caps a single column in under 4 seconds; caps/de-caps a complete rack of 96 tubes in less than 90 seconds
- All caps are tightened to the same torque to create a secure seal
- Battery operation allows capping/de-capping for more than 40 complete racks
- Includes docking station for instrument charging and placement/storage for contamination-free handling of caps

Art.No. BRO-46-9012


FluidX has been rebranded and is now part of the
Azenta Life Sciences portfolio



b.safe Sophisticated Safety Solutions for HPLC

Efficient protection from hazardous vapours, minimize expensive solvent losses and guarantee pure eluents and easy handling. Better b.safe!

b.safe



Art.No. M146-20

Special price!
2 195 SEK/NOK
1 515 DKK
199 €

Initial equipment for HPLC with b.safe-Caps for bottles with thread GL45, fittings for easy connection of capillary tubing, blind fittings for closing unused connections and air valves for a trouble-free withdrawal of solvents are included.

The kit contains:

- 4 x b.safe Caps GL 45 with 2 capillary connections
- 4 x Air Valves with service life indicator
- 8 x Fittings for tubing O. D. 3,2 mm (yellow)
- 4 x Blind fittings (milky white)

Chemical resistance: +++ universal

Material: PTFE, PPS

Temperature resistance: from -20°C to +200°C

DURAN® YOUTILITY® GL45 Laboratory Bottle

Easier and safer handling of your lab. bottles with the award winning design!
Specially shaped gripping zones on both sides of the bottle. Tags and labels available!



Screw cap, pouring ring and bottle tag are included when you order bottles!

- Manufactured from **DURAN® borosilicate glass 3.3**.
- The optimized, ergonomic shape of the screw cap has comfortable grooves and ridges for a more efficient and easier tightening or removal
- Significantly faster opening or closing with the shortened bottle thread
- Pre-defined labelling area
- The tried and tested cap plug sealing with sealing lip system ensures a liquid tight seal
- Easy-to-read scale with graduation marks to estimate the content

Special price!

Art.No.	Description	Pack	SEK/NOK	DKK	EUR
DWK-218812854	DURAN® YOUTILITY Bottle GL45, clear, 125 ml	4	392kr	272kr	36€
DWK-218813653	DURAN® YOUTILITY Bottle GL45, clear, 250 ml	4	440kr	304kr	40€
DWK-218814452	DURAN® YOUTILITY Bottle GL45, clear, 500 ml	4	548kr	380kr	48€
DWK-218815457	DURAN® YOUTILITY Bottle GL45, clear, 1000 ml	4	772kr	532kr	72€
DWK-218862859	DURAN® YOUTILITY Bottle GL45, amber, 125 ml	4	1 284kr	884kr	116€
DWK-218863658	DURAN® YOUTILITY Bottle GL45, amber, 250 ml	4	1 780kr	1 228kr	160€
DWK-218864457	DURAN® YOUTILITY Bottle GL45, amber, 500 ml	4	2 300kr	1 588kr	208€
DWK-218865453	DURAN® YOUTILITY Bottle GL45, amber, 1000 ml	4	2 820kr	1 944kr	256€
DWK-292432904	Bottle Tag Multipack, mixed colours, Silicone, for GL45	16	320kr	224kr	29€



Nitrile Gloves - StarGuard® Comfort

Protection that fits perfectly!



Gloves per case: 10x250 (XL 10x230)

Glove Material: Nitrile

Colour: Light blue

Cuff: Beaded

Texture: Fingers

Length: 245mm

AQL: 0,65

EN374-2: Level 3

(more specs. are available)



Comfortable....

made from soft nitrile for enhanced comfort and tactile sensitivity

....yet strong

and extremely soft but strong glove that provides excellent elasticity


Special price available!



Art.No.	Description
SG-C-XS	StarGuard® Comfort, Nitrile Gloves, XS
SG-C-S	StarGuard® Comfort, Nitrile Gloves, S
SG-C-M	StarGuard® Comfort, Nitrile Gloves, M
SG-C-L	StarGuard® Comfort, Nitrile Gloves, L
SG-C-XL	StarGuard® Comfort, Nitrile Gloves, XL

Analytical balance - Equinox Semi-Micro

Equinox semi-micro and analytical balance deliver remarkable precision to labs that perform highly detailed testing.



Equinox is ideal for research and quality assurance facilities, science education, precision counting and production and manufacturing applications needing exceptionally precise results.

Internal automatic calibration!

Key Specifications

Capacity: 220g

Repeatability: 0.0002g

Readability: 0.0001g

Pan size: 80mm ø

Special price!

24 000 SEK/NOK

16 500 DKK

2 185 €



ADAM

PMB Moisture Analyser

With simple operation and rapid response time, PMB moisture analysers offer the top value in their class!



USB and RS-232 interfaces provide computer and printer connections to store test programs and results. No additional software is needed to take readings, giving users total freedom to collect data on a production floor or in the field.

A single 400-watt halogen bulb heats samples in 1 °C selectable increments. Three heating options give users the flexibility to customise test methods and temperatures for different materials.

Art.No.	Capacity, readability, pan size	SEK/NOK	DKK	EUR
PMB53	50g, 0.001g / 0.01%, 100mm ø	13 500kr	9 315kr	1 230€
PMB202	200g, 0.01g / 0.05%, 100mm ø	12 600kr	8 695kr	1 145€
PMB163	160g, 0.001g / 0.01%, 100mm ø	16 800kr	11 595kr	1 530€



ADAM

Basic instruments!

Vortex



- Speed control: 500-3000 RPM
- Acceleration time: 2s
- Mixing module for tubes from 0.2 to 50ml
- Orbit 4mm



Art.No. BS-010203-AAG

1 995SEK/NOK, 1 376DKK, 180€

Mini centrifuge



- 8-place rotor for 1.5 or 2.0 ml tubes, incl. screw cap tubes
- 32-place rotor for 0.2 ml PCR strips or tubes
- Magnetic lid lock for easy, one-handed operation
- Smooth, quiet operation



Art.No. S8030-5000

3 175SEK/NOK, 2 195DKK, 289€

Platespinner



- Capacity for two standard plates
- Quickly spin down droplets and condensation
- Accepts skirted and non-skirted and all standard PCR plates
- Ambient Operating Range 4° to 35°C

Art.No. PLATESPINNER-230EU

4 950SEK/NOK, 3 689DKK, 495€



Mini-rotator



Rotator can be used in cold rooms or incubators, temp. range +4°C to +40°C
Speed control range 5-30 RPM
Supplied with platform (PRS-22) that can accommodate 22 tubes, 10-16 mm diam.
(1,5 ml - 15 ml tubes)

Art.No. BS-010133-AAG



3 960EK/NOK, 2 732DKK, 360€

Magnetic stirrer



- Speed control range: 0-3000 RPM
- Max. stirring vol.(water): 20L
- Working plate size: Ø 160mm
- Working surface material: Stainless steel



Art.No. BS-010305-AAF

2 255SEK/NOK, 1 556DKK, 205€

Pipet Controller



Art.No. 357469

Designed for use with glass and plastic serological pipets from 0.5 to 100ml

Supplied with:

- Two-position charging stand
- Universal battery charger
- Three batteries
- Two 0.2µm and two 0.45µm hydrophobic PTFE filters

FALCON

2 120SEK/NOK, 1 580DKK, 212€

Mini Microcentrifuge



Art.No. 6770

- Compact, lightweight and easy-to-use
- Close the lid to start, press the lid release button to stop
- 8 x 1.5/2.0 ml rotor and 4-place strip tube rotors included
- Fixed speed of 6,000 rpm generates 2,000 x g.

CORNING

1 620SEK/NOK, 1 209DKK, 162€

UV Pipette Cleaner Carousel



Art.No. MTC-P5590-E

- Destroys >99% Virus, DNA/RNA, Bacteria, Mycoplasma
- UV-C lamp and reflector system
- Eliminates cross-contamination
- 360° UV exposure
- Fits virtually any pipette



3 995SEK/NOK, 2 850DKK, 380€

Thermal Cycler - Gradient



Art.No. BMS-T5000-384-E (384 well block),
BMS-T5000-96-E (Multiformat block)

Benchmark's TC9639 Thermal Cycler provides reliable results for laboratories with medium to high throughput.

9639 Block, 96 x 0.2ml tubes/0.2ml strips/1x96 well plate (nonskirted), 39x0.5ml tubes

384 Well Block, 1 x 384 well plate



58 000SEK/NOK, 40 000DKK, 5 270€

Magnetic stirrer with hot plate



Art.No. BS-010302-OAA


- Speed control range: 250-1250 RPM
- Max. stirring volume (water): 15 litres
- Plate temp. regulation range: +30°C...+330°C
- Diameter of working plate: 160mm



3 575SEK/NOK, 2 467DKK, 325€



Pharmatainer & Assemblies



Tubing



Clamps



Mixers

Cell Culture Flask with Filter Cap

Cell culture flasks from SPL Life Sciences are ergonomically designed for easy handling, while achieving minimal contamination during cell culture.



- Short & wide neck with angled design allows easy access
- Excellent stackability
- Non-pyrogenic, non-cytotoxic, DNase/RNase-free and Human DNA-free

20% discount

Special price!

Art. No.	Material	Cap type	Growth area	Working volume	Total volume	Treatment	Sterile	Pcs/pack	SEK/NOK	DKK	EUR
70075	PS/HDPE	Filter	75cm ²	25ml	250ml	yes	yes	100	1 398kr	965kr	127€
71175	PS/HDPE	Filter	175cm ²	50ml	650ml	yes	yes	40	1 106kr	763kr	101€

High Performance dNTPs for PCR

Ultrapur PCR Nucleotides

Minute impurities in dNTPs can hinder the performance of your polymerases. Many of these impurities are by-products of the chemical synthesis of dNTPs.

Ultrapur dNTPs from Jena Bioscience are manufactured enzymatically, ensuring the highest performance on the market today.



Art.No.	Description	SEK/NOK	DKK	EUR
NU-1005L	dNTP Bundle 4 x 1ml (4 x 100 µmol)	3 695kr	2 550kr	336€
NU-1023L	dNTP Mix / 25 mM, 5x1ml	5 210kr	3 595kr	475€
NU-1020L	dNTP Mix incl. dUTP / 10 mM dATP, dCTP, dGTP & 20mM dUTP, 5x1ml	3 645kr	2 515kr	332€

A portfolio of trusted brands!

Honeywell

Honeywell Solvents and Inorganics

Honeywell provides performance-grade solvents and inorganics for general laboratory use.

Honeywell

Riedel-de Haën™

Riedel-de Haën™ Solvents

Riedel-de Haën™ solvents have become the standard for high-purity grades for all analytical applications.

Honeywell Fluka™

Fluka™ Analytical Reagents and Standards

Fluka™ standards have helped thousands of scientists accurately and consistently achieve results.

Honeywell

Burdick & Jackson™

Burdick & Jackson™ Solvents

With more than 50 years of developing high-purity solvents, Burdick & Jackson™ is a leading manufacturer of solvents and DNA/RNA reagents.

Axygen® Microtube Shaker



The Axxygen Microtube Shaker provides researchers a benchtop shaking incubator allowing uniform heating, cooling, and mixing of precious life science samples.



Art.No. I-4011

- Shaker Speed: 200 to 1500 rpm
- Operating Environment of System: -15°C ambient to 100°C
- Operation Ambient Temp.: +5°C to 40°C, up to 80% RH, non-condensing
- Temp.Range: 0.1°C to 100°C
- Shaker Orbit: 3mm
- Temp. Accuracy/Uniformity: 0.5 °C/0.5 °C
- Heating blocks available for: 0.5ml, 1.5ml, 2ml, 5ml, 15ml, 50ml tubes, 0.2mL/96-well PCR Microplate and 96/384-well Microplate (NOT incl. sold separately)

Special price!
29 900 SEK/NOK
20 600 DKK
2 720 €

Below is special price on a selection of tubes that fits perfectly with this instrument!

Special price!

Art.No.	Description	SEK/NOK	DKK	EUR
3213	Costar® 2.0ml Snap Cap Microcentrifuge Tube, PP, Nonsterile, 1000pcs	564kr	400kr	53€
430791	Corning® 15ml PP Centrifuge Tubes, Bulk Packed with CentriStar™ Cap, Sterile 500pcs	1 235kr	875kr	118€
MCT-500-C-S	Axygen® 5.0 mL MaxyClear Snaplock Microcentrifuge Tube, PP, Clear, Sterile, 1250pcs	2 625kr	1 860kr	250€
352097	Falcon® 15ml High Clarity PP Centrifuge Tube, Conical Bottom, with Dome Seal Screw Cap, Sterile, 500pcs	1 235kr	875kr	118€

Axygen® PlateMax® Semi-automatic Plate Sealer



The PlateMax sealer accepts a wide variety of plate types and heights!

An aluminum adapter is used for PCR and standard assay plates. The motorized heated platen automatically adjusts for different plate heights and provides uniform pressure to ensure a quality seal. The platen incorporates a special non-stick coating. The side access door allows for easy cleaning.

Special price!
34 795 SEK/NOK
24 690 DKK
3 310 €

Art.No. HS-1230

Below is special price on a selection of plates that fits perfectly with this instrument!

Special price!

Art.No.	Description	SEK/NOK	DKK	EUR
3361	EIA/RIA Plate, 96 Well, PS, Flat, High Binding, Sterile, w/Lid, 100pcs	2 125kr	1 510kr	202€
3370	Assay Plate, 96 Well, PS, Flat, Non Treated, Sterile, w/Lid, 100pcs	1 795kr	1 270kr	170€
3590	EIA/RIA Plate, 96 Well, PS, Flat, High Binding, Non Sterile, 100pcs	1 975kr	1 404kr	188€
3959	Assay Block, 96 Well, 1 mL, PP, Round Bottom, Non Sterile, 100pcs	4 090kr	2 900kr	389€
3961	Assay Block, 96 Well, 2 mL, PP, V-Bottom, Non Sterile, 100pcs	6 965kr	4 940kr	663€
9017	EIA/RIA Plate, 96 Well, PS, Flat, Medium Binding, Non Sterile, 100pcs	1 540kr	1 090kr	146kr
9018	Microplate, 96 Well, Polystyrene, Clear, Flat Bottom, High Binding, 100pcs	1 595kr	1 130kr	152€

SARTORIUS

We are very proud to be a distributor of Sartorius products since many years!
From Sartorius we offer these main high quality and very reliable products:

Laboratory Balances
Arium® Water Purification Systems
Pipettes – electronic and mechanical
Lab filtration & Purification products



Thought of storing your samples in 2D coded tubes.....

We offer the full range of tubes and accessories from Azentas "FluidX" portfolio. There are 2D coded, dual coded or tri coded, external caps or internal caps, for volumes from 0,2ml to 7,6ml. Available in 96, 48 and 24-well format SBS racks or in bulk.



.....and an easy way to pick them out from their plates?

Just give **the Mohawk** a predefined picklist, place the 96-well format linear coded rack on Mohawk. The rack barcode is read and the selected pins fire up to present the desired tubes. Mohawk can also be integrated with a scanner to produce and verify a report of the picked rack and tubes.

Special price!

Art.No.	Description	SEK/NOK	DKK	EUR
ZTS-MHK	Ziath Mohawk Semi-automated Tube Picker	149 000kr	103 000kr	13 545€
ZTS-MHK-LOW	Low Profile Tube Rack Adaptor for Mohawk	3 700kr	2 553kr	336€
BRO-66-62318-Y6	0.7ml Dual-coded Tube, 96-format, Internal Thread	8 275kr	5 710kr	752€
BRO-68-1003-11	Fluidx 96-Format 1.0ml External Thread Tri-Coded TUBE, Capped, Racked	12 900kr	8 900kr	1 173€
BRO-68-0703-12	Fluidx 96-Format 0.5ml External Thread Tri-Coded TUBE, Capped, Racked	12 900kr	8 900kr	1 173€



Let's meet!



Prices are valid until 30th of June and cannot be combined with other agreement or discounts.

Quote discount code VK23 when ordering. General terms and conditions of sale apply, see our website. We reserve the right for printing errors.

SAVEEN WERNER



SWEDEN

+46 40 51 00 00
www.swab.se
info@swab.se



NORWAY

+47 22 22 87 87
www.swab.no
info@swab.no



DENMARK

+45 86 20 16 16
www.swab.dk
info@swab.dk



FINLAND

+358 9 3154 5620
www.swab.fi
info@swab.fi